


FS 2.60/9:14/17

COMMUNICABLE DISEASE CENTER



Morbidity and Mortality

Vol. 14, No. 17

WEEKLY
REPORTWeek Ending
May 1, 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

EPIDEMIOLOGIC NOTES

MENINGOCOCCAL INFECTIONS

Seventy-two meningococcal infections were reported this week as compared to 87 for the similar period last year. The cumulative total of meningococcal infections reported thus far this year is 1,444 as compared to 1,135 through the 17th week last year. The median number reported for a comparable period during 1960-1964 is 896.

CONTENTS

Epidemiologic Notes	145
Salmonella Surveillance Summary	146
Reported Human Isolations of Salmonellae in the U.S.	146
Post-Infectious Encephalitis	147
Summary of Infectious Syphilis	147
International Notes - Quarantine Measures	152

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Cumulative totals include revised and delayed reports through previous weeks)


Disease	17th Week Ended		Median 1960 - 1964	Cumulative, First 17 Weeks		
	May 1, 1965	April 25, 1964		1965	1964	Median 1960 - 1964
Aseptic meningitis	33	20	20	476	461	410
Brucellosis	1	5	7	70	130	130
Diphtheria	3	3	5	74	68	165
Encephalitis, primary infectious ..	31	23	---	514	536	---
Encephalitis, post-infectious	21	28	---	304	258	---
Hepatitis, infectious including serum hepatitis	628	833	875	12,994	15,401	17,158
Measles	10,395	29,900	19,917	161,725	255,455	221,585
Meningococcal infections	72	87	43	1,444	1,135	896
Poliomyelitis, Total	1	1	3	7	23	92
Paralytic	1	1	3	6	18	64
Nonparalytic	-	-	---	1	4	---
Unspecified	-	-	---	-	1	---
Streptococcal Sore Throat and Scarlet fever	8,056	10,678	7,551	185,514	183,748	158,029
Tetanus	4	4	---	65	64	---
Tularemia	3	3	---	61	81	---
Typhoid fever	2	4	9	105	105	131
Rabies in Animals	91	127	107	1,780	1,490	1,418

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

	Cum.		Cum.
Anthrax:	5	Rabies in Man:	-
Botulism: Md.-1	3	Smallpox:	-
Leptospirosis: Fla.-1	11	Trichinosis: Tenn.-1	52
Malaria: Md.-1	16	Typhus-	
Plague:	-	Murine: Ala.-1	7
Psittacosis:	11	Rky Mt. Spotted: N.J.-1	7

Rank	Serotype	Number	Percent
1	<i>S. typhi-murium</i> & <i>S. typhi-murium</i> <i>var. copenhagen</i>	466	30.8
2	<i>S. heidelberg</i>	110	7.3
3	<i>S. derby</i>	78	5.1
4	<i>S. infantis</i>	77	5.1
5	<i>S. typhi</i>	74	4.9
6	<i>S. newport</i>	69	4.6
7	<i>S. oranienburg</i>	62	4.1
	Others	579	38.2
	Total	1,515	100.0

The 7 most frequently reported serotypes during March were:



REPORTED CASES OF POST-INFECTIOUS AND POST-IMMUNIZATION
ENCEPHALITIS, EIGHT WEEK PERIOD ENDING 2/27/65

State	Mumps	Chickenpox	Measles	Rubella	Herpes Simplex	Pertussis	Influenza	Post-Immunization
Arkansas				1				
California	23	4	8		1			
Connecticut			1					
Florida	6	1						
Illinois		2	1	1				
Iowa	1							
Michigan	1		2					
Montana		1						
New Hampshire	1							
New York								
Upstate	2	2						
Pennsylvania	5		1					
Rhode Island	1		2					
Texas	10		1				1	
Utah	1							
Virginia	1	1						
Washington	2							
U. S. Total	54	11	16	2	1	0	1	0
U.S. Cum. Total								
(wks 1-17) 1965*	113	31	30	6	2	0	1	0
1964**	105	10	28	5	1	1	2	0

*Includes revised and delayed reports.

(States not reporting a case not listed.)

**Corresponding period in 1964.

SUMMARY OF REPORTED CASES OF INFECTIOUS SYPHILIS MARCH 1965 - MARCH 1964
CASES OF PRIMARY AND SECONDARY SYPHILIS: By Reporting Area March 1965 and March 1964 - Provisional Data

Reporting Area	March		Cumulative Jan. - Mar.		Reporting Area	March		Cumulative Jan. - Mar.	
	1965	1964	1965	1964		1965	1964	1965	1964
NEW ENGLAND.....	47	45	124	123	EAST SOUTH CENTRAL.....	207	139	620	374
Maine.....	-	1	1	1	Kentucky.....	12	11	41	31
New Hampshire.....	-	3	3	6	Tennessee.....	46	36	150	108
Vermont.....	-	1	-	1	Alabama.....	104	74	318	193
Massachusetts.....	34	25	74	75	Mississippi.....	45	18	111	42
Rhode Island.....	1	1	7	4	WEST SOUTH CENTRAL.....	192	202	572	614
Connecticut.....	12	14	39	36	Arkansas.....	19	14	54	47
MIDDLE ATLANTIC.....	411	517	1,213	1,404	Louisiana.....	42	46	155	145
Upstate New York.....	49	69	132	180	Oklahoma.....	13	18	42	35
New York City.....	249	320	736	823	Texas.....	118	124	321	387
Pa. (Excl. Phila.).....	16	12	45	34	MOUNTAIN.....	51	40	143	145
Philadelphia.....	17	31	56	87	Montana.....	2	2	5	3
New Jersey.....	80	85	244	280	Idaho.....	-	-	1	3
EAST NORTH CENTRAL.....	274	177	734	555	Wyoming.....	-	1	-	6
Ohio.....	54	30	152	137	Colorado.....	1	3	6	4
Indiana.....	2	3	14	18	New Mexico.....	10	20	31	70
Downstate Illinois.....	11	7	46	31	Arizona.....	32	12	74	47
Chicago.....	147	78	316	214	Utah.....	1	-	8	4
Michigan.....	52	53	188	144	Nevada.....	5	2	18	8
Wisconsin.....	8	6	18	11	PACIFIC.....	201	181	534	621
WEST NORTH CENTRAL.....	51	47	118	160	Washington.....	5	1	25	12
Minnesota.....	15	10	25	33	Oregon.....	2	8	10	25
Iowa.....	3	2	7	8	California.....	192	171	491	576
Missouri.....	24	25	56	78	Alaska.....	1	-	3	3
North Dakota.....	-	-	-	-	Hawaii.....	1	1	5	5
South Dakota.....	5	2	13	14	U. S. TOTAL.....	2,011	1,872	5,787	5,674
Nebraska.....	4	4	12	19	TERRITORIES.....	74	63	198	200
Kansas.....	-	4	5	8	Puerto Rico.....	74	62	197	195
SOUTH ATLANTIC.....	577	524	1,729	1,678	Virgin Islands.....	-	1	1	5
Delaware.....	3	6	14	27	Note: Cumulative Totals include revised and delayed reports through previous months.				
Maryland.....	39	62	107	135					
District of Columbia.....	54	36	143	184					
Virginia.....	21	18	92	69					
West Virginia.....	4	6	13	10					
North Carolina.....	82	78	256	237					
South Carolina.....	68	80	214	226					
Georgia.....	85	94	285	278					
Florida.....	221	144	605	512					

Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MAY 1, 1965 AND APRIL 25, 1964 (17th WEEK)

[illegible]

Morbidity and Mortality Weekly Report

149

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MAY 1, 1965 AND APRIL 25, 1964 (17th WEEK) - Continued

Area	Brucel- losis	Infectious Hepatitis including Serum Hepatitis					Meningococcal Infections			Tetanus	
		Total incl. unk.	Under 20 years	20 years and over	Cumulative Totals			Cumulative			Cum.
					1965	1964		1965	1964		
	1965	1965	1965	1965	1965	1964	1965	1965	1964	1965	1965
UNITED STATES...	1	628	314	281	12,994	15,401	72	1,444	1,135	4	65
NEW ENGLAND.....	-	52	26	22	783	1,640	2	72	31	-	3
Maine.....	-	14	9	5	174	577	-	8	3	-	-
New Hampshire.....	-	3	-	2	66	128	-	4	-	-	1
Vermont.....	-	1	-	1	39	205	-	2	1	-	-
Massachusetts.....	-	20	11	9	289	323	2	25	13	-	2
Rhode Island.....	-	9	6	3	99	76	-	11	2	-	-
Connecticut.....	-	5	-	2	116	331	-	22	12	-	-
MIDDLE ATLANTIC.....	-	107	46	61	2,251	3,524	17	198	124	-	4
New York City.....	-	21	7	14	414	509	4	31	19	-	-
New York, Up-State.....	-	43	18	25	970	1,577	9	52	35	-	2
New Jersey.....	-	16	6	10	357	639	1	62	40	-	-
Pennsylvania.....	-	27	15	12	510	799	3	53	30	-	2
EAST NORTH CENTRAL...	-	96	50	37	2,488	2,322	7	173	163	-	5
Ohio.....	-	34	18	11	762	610	1	52	47	-	1
Indiana.....	-	10	5	4	187	200	1	24	28	-	3
Illinois.....	-	20	10	8	493	371	3	44	35	-	1
Michigan.....	-	30	16	14	903	982	2	30	39	-	-
Wisconsin.....	-	2	1	-	143	159	-	23	14	-	-
WEST NORTH CENTRAL...	1	54	29	23	888	900	5	80	61	-	3
Minnesota.....	-	6	2	4	77	73	1	16	12	-	2
Iowa.....	1	10	3	5	356	132	1	3	3	-	-
Missouri.....	-	11	6	5	163	225	1	38	33	-	1
North Dakota.....	-	1	1	-	12	37	1	4	4	-	-
South Dakota.....	-	-	-	-	13	92	-	2	-	-	-
Nebraska.....	-	1	-	1	25	19	-	9	4	-	-
Kansas.....	-	25	17	8	242	322	1	8	5	-	-
SOUTH ATLANTIC.....	-	67	29	34	1,348	1,490	13	290	236	-	21
Delaware.....	-	-	-	-	51	33	-	3	3	-	-
Maryland.....	-	10	5	5	272	284	4	30	17	-	1
Dist. of Columbia..	-	3	2	1	17	26	-	4	8	-	-
Virginia.....	-	15	8	6	348	222	1	31	25	-	3
West Virginia.....	-	4	4	-	207	265	1	23	17	-	-
North Carolina.....	-	8	4	4	113	277	1	43	40	-	2
South Carolina.....	-	2	1	1	41	54	1	45	36	-	1
Georgia.....	-	3	1	2	50	35	5	40	18	-	3
Florida.....	-	22	4	15	249	294	-	71	72	-	11
EAST SOUTH CENTRAL...	-	53	39	14	997	1,077	6	105	109	1	11
Kentucky.....	-	23	18	5	350	487	2	46	38	-	1
Tennessee.....	-	14	12	2	376	364	2	31	38	-	4
Alabama.....	-	5	5	-	149	142	2	22	18	1	5
Mississippi.....	-	11	4	7	122	84	-	6	15	-	1
WEST SOUTH CENTRAL...	-	60	33	27	1,153	1,118	7	222	154	2	10
Arkansas.....	-	14	8	6	163	127	-	12	9	2	4
Louisiana.....	-	7	3	4	195	228	6	123	77	-	2
Oklahoma.....	-	2	1	1	34	68	-	16	3	-	-
Texas.....	-	37	21	16	761	695	1	71	65	-	4
MOUNTAIN.....	-	26	9	4	794	1,001	2	51	39	-	2
Montana.....	-	1	-	1	59	99	-	1	-	-	-
Idaho.....	-	7	-	-	136	81	-	7	1	-	-
Wyoming.....	-	1	1	-	27	33	-	2	2	-	-
Colorado.....	-	5	4	1	152	295	-	11	8	-	1
New Mexico.....	-	6	4	2	149	160	1	8	18	-	-
Arizona.....	-	6	-	-	149	215	1	15	3	-	1
Utah.....	-	-	-	-	117	90	-	5	1	-	-
Nevada.....	-	-	-	-	5	28	-	2	6	-	-
PACIFIC.....	-	113	53	59	2,292	2,329	13	253	218	1	6
Washington.....	-	13	6	6	186	245	1	18	18	-	-
Oregon.....	-	12	6	6	189	259	-	18	15	-	-
California.....	-	87	41	46	1,778	1,701	11	209	172	1	6
Alaska.....	-	1	-	1	125	75	1	5	6	-	-
Hawaii.....	-	-	-	-	14	49	-	3	7	-	-
Puerto Rico	-	18	12	6	413	326	-	3	20	-	13

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
MAY 1, 1965 AND APRIL 25, 1964 (17th WEEK) - Continued

Area	Measles			Strept. Sore Th. & Scarlet Fev.	Tularemia		Typhoid Fever		Rabies in Animals	
	1965	Cumulative			1965	Cum. 1965	1965	Cum. 1965	1965	Cum. 1965
		1965	1964							
UNITED STATES...	10,395	161,725	255,455	8,056	3	61	2	105	91	1,780
NEW ENGLAND.....	1,347	29,735	8,979	985	-	-	-	1	2	21
Maine.....	45	2,128	1,204	108	-	-	-	-	-	-
New Hampshire.....	6	341	149	6	-	-	-	-	-	-
Vermont.....	80	573	1,721	39	-	-	-	-	1	19
Massachusetts.....	655	16,440	2,620	92	-	-	-	1	1	1
Rhode Island.....	102	3,196	892	36	-	-	-	-	-	-
Connecticut.....	459	7,057	2,393	704	-	-	-	-	-	1
MIDDLE ATLANTIC.....	622	6,896	32,055	422	-	-	2	17	5	66
New York City.....	63	750	10,189	24	-	-	1	8	-	-
New York, up-State.....	132	2,101	7,181	269	-	-	-	5	5	62
New Jersey.....	106	1,208	7,508	62	-	-	-	2	-	-
Pennsylvania.....	321	2,837	7,177	67	-	-	1	2	-	4
EAST NORTH CENTRAL...	2,173	30,853	56,238	915	-	3	-	15	16	236
Ohio.....	425	6,318	11,517	185	-	-	-	3	6	123
Indiana.....	29	1,140	13,625	22	-	-	-	4	2	17
Illinois.....	144	1,204	10,024	222	-	2	-	3	5	45
Michigan.....	989	16,359	13,652	341	-	-	-	3	1	20
Wisconsin.....	586	5,832	7,420	145	-	1	-	2	2	31
WEST NORTH CENTRAL...	576	12,202	12,971	350	1	6	-	3	19	320
Minnesota.....	16	385	169	12	-	-	-	-	4	73
Iowa.....	308	6,727	9,143	100	-	-	-	-	7	94
Missouri.....	150	1,907	693	64	1	4	-	3	1	42
North Dakota.....	101	2,829	2,376	89	-	-	-	-	-	12
South Dakota.....	1	64	3	19	-	1	-	-	3	23
Nebraska.....	-	290	587	-	-	-	-	-	-	18
Kansas.....	NN	NN	NN	66	-	1	-	-	4	58
SOUTH ATLANTIC.....	749	18,014	23,674	1,169	-	20	-	26	14	252
Delaware.....	13	403	245	60	-	-	-	3	-	-
Maryland.....	39	685	2,303	241	-	-	-	8	-	2
Dist. of Columbia..	1	28	323	11	-	-	-	-	-	-
Virginia.....	-	2,659	6,843	322	-	3	-	2	11	202
West Virginia.....	427	10,716	5,617	295	-	-	-	1	-	8
North Carolina.....	4	210	914	42	-	4	-	7	-	1
South Carolina.....	38	751	2,974	84	-	3	-	3	-	1
Georgia.....	50	528	135	34	-	10	-	1	2	19
Florida.....	177	2,034	4,320	80	-	-	-	1	1	19
EAST SOUTH CENTRAL...	516	10,220	33,461	1,226	-	13	-	12	13	490
Kentucky.....	110	1,978	14,186	87	-	3	-	5	3	37
Tennessee.....	297	5,642	13,637	1,008	-	9	-	3	10	446
Alabama.....	41	1,785	932	42	-	1	-	2	-	7
Mississippi.....	68	815	4,706	89	-	-	-	2	-	-
WEST SOUTH CENTRAL...	1,621	23,068	45,654	561	2	13	-	14	19	281
Arkansas.....	50	882	815	1	1	7	-	6	3	41
Louisiana.....	4	58	61	5	-	1	-	2	4	51
Oklahoma.....	10	135	641	45	-	3	-	1	4	54
Texas.....	1,557	21,993	44,137	510	1	2	-	5	8	135
MOUNTAIN.....	857	12,725	10,003	1,315	-	6	-	11	1	32
Montana.....	88	2,882	1,704	28	-	1	-	-	-	3
Idaho.....	54	1,800	1,182	108	-	-	-	-	-	-
Wyoming.....	12	635	91	31	-	-	-	1	-	-
Colorado.....	527	3,082	1,699	657	-	-	-	-	-	1
New Mexico.....	14	483	201	197	-	-	-	7	-	6
Arizona.....	53	549	3,855	118	-	-	-	3	1	22
Utah.....	99	3,156	741	176	-	5	-	-	-	-
Nevada.....	10	138	530	-	-	-	-	-	-	-
PACIFIC.....	1,934	18,012	32,420	1,113	-	-	-	6	2	82
Washington.....	324	5,124	11,673	157	-	-	-	1	-	-
Oregon.....	161	2,437	3,615	33	-	-	-	1	-	2
California.....	1,263	8,306	16,015	856	-	-	-	3	2	80
Alaska.....	-	106	931	34	-	-	-	-	-	-
Hawaii.....	186	2,039	186	33	-	-	-	1	-	-
Puerto Rico	123	1,175	3,088	18	-	-	-	1	1	7

Morbidity and Mortality Weekly Report


151

Week No. 17 Table 4. DEATHS IN 122 UNITED STATES CITIES FOR WEEK ENDED MAY 1, 1965

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	801	462	33	59	SOUTH ATLANTIC:	1,116	569	54	69
Boston, Mass.-----	312	178	6	20	Atlanta, Ga.-----	118	53	11	3
Bridgeport, Conn.-----	41	23	7	3	Baltimore, Md.-----	270	133	8	30
Cambridge, Mass.-----	33	27	-	1	Charlotte, N. C.-----	37	18	3	4
Fall River, Mass.-----	29	17	-	1	Jacksonville, Fla.-----	66	34	1	4
Hartford, Conn.-----	66	26	-	13	Miami, Fla.-----	80	45	2	2
Lowell, Mass.-----	27	17	1	1	Norfolk, Va.-----	44	25	4	2
Lynn, Mass.-----	18	14	1	1	Richmond, Va.-----	93	48	1	8
New Bedford, Mass.-----	34	21	1	2	Savannah, Ga.-----	34	14	5	2
New Haven, Conn.-----	43	22	2	6	St. Petersburg, Fla.-----	78	61	2	2
Providence, R. I.-----	77	53	10	2	Tampa, Fla.-----	75	40	6	2
Somerville, Mass.-----	7	3	-	-	Washington, D. C.-----	166	68	8	6
Springfield, Mass.-----	40	21	2	6	Wilmington, Del.-----	55	30	3	4
Waterbury, Conn.-----	34	19	-	2					
Worcester, Mass.-----	40	21	3	1	EAST SOUTH CENTRAL:	621	324	23	40
MIDDLE ATLANTIC:	3,308	1,934	135	147	Birmingham, Ala.-----	120	59	3	3
Albany, N. Y.-----	39	21	2	2	Chattanooga, Tenn.-----	41	25	2	2
Allentown, Pa.-----	20	11	1	1	Knoxville, Tenn.-----	39	19	1	2
Buffalo, N. Y.-----	138	79	5	11	Louisville, Ky.-----	123	71	6	8
Camden, N. J.-----	49	26	3	1	Memphis, Tenn.-----	136	66	6	13
Elizabeth, N. J.-----	23	8	4	2	Mobile, Ala.-----	41	19	-	3
Erie, Pa.-----	45	30	4	4	Montgomery, Ala.-----	36	24	2	-
Jersey City, N. J.-----	57	27	3	1	Nashville, Tenn.-----	85	41	3	9
Newark, N. J.-----	91	35	10	8	WEST SOUTH CENTRAL:	1,030	548	41	82
New York City, N. Y.-----	1,806	1,060	62	67	Austin, Tex.-----	41	23	4	3
Paterson, N. J.-----	34	26	1	2	Baton Rouge, La.-----	39	21	-	3
Philadelphia, Pa.-----	482	280	10	16	Corpus Christi, Tex.-----	35	18	1	4
Pittsburgh, Pa.-----	179	105	4	9	Dallas, Tex.-----	110	57	3	9
Reading, Pa.-----	47	34	1	1	El Paso, Tex.-----	43	24	3	6
Rochester, N. Y.-----	82	52	11	6	Fort Worth, Tex.-----	77	49	2	4
Schenectady, N. Y.-----	24	15	2	1	Houston, Tex.-----	196	87	1	17
Scranton, Pa.-----	38	24	2	2	Little Rock, Ark.-----	60	34	6	4
Syracuse, N. Y.-----	59	40	3	4	New Orleans, La.-----	167	79	3	17
Trenton, N. J.-----	37	14	1	6	Oklahoma City, Okla.-----	76	45	2	5
Utica, N. Y.-----	28	23	6	-	San Antonio, Tex.-----	93	56	3	5
Yonkers, N. Y.-----	30	24	-	3	Shreveport, La.-----	44	20	6	3
EAST NORTH CENTRAL:	2,640	1,459	94	196	Tulsa, Okla.-----	49	35	7	2
Akron, Ohio-----	83	56	-	5	MOUNTAIN:	384	214	22	29
Canton, Ohio-----	32	24	4	1	Albuquerque, N. Mex.-----	36	23	3	3
Chicago, Ill.-----	715	367	33	60	Colorado Springs, Colo.-----	17	9	-	1
Cincinnati, Ohio-----	138	81	3	11	Denver, Colo.-----	102	44	4	12
Cleveland, Ohio-----	229	126	3	21	Ogden, Utah-----	11	9	1	-
Columbus, Ohio-----	115	56	2	6	Phoenix, Ariz.-----	87	44	5	5
Dayton, Ohio-----	99	64	-	1	Pueblo, Colo.-----	33	22	2	5
Detroit, Mich.-----	377	188	20	31	Salt Lake City, Utah-----	47	33	3	2
Evansville, Ind.-----	42	26	-	2	Tucson, Ariz.-----	51	30	4	1
Flint, Mich.-----	58	31	1	3	PACIFIC:	1,635	977	56	92
Fort Wayne, Ind.-----	51	24	1	4	Berkeley, Calif.-----	23	11	-	-
Gary, Ind.-----	30	14	3	2	Fresno, Calif.-----	46	27	1	2
Grand Rapids, Mich.-----	61	35	9	7	Glendale, Calif.-----	36	26	-	1
Indianapolis, Ind.-----	138	80	2	13	Honolulu, Hawaii-----	41	23	3	3
Madison, Wis.-----	42	21	-	5	Long Beach, Calif.-----	57	32	-	3
Milwaukee, Wis.-----	134	78	3	13	Los Angeles, Calif.-----	535	325	21	34
Peoria, Ill.-----	46	28	1	3	Oakland, Calif.-----	99	53	1	10
Rockford, Ill.-----	36	22	4	-	Pasadena, Calif.-----	35	24	1	3
South Bend, Ind.-----	27	18	-	1	Portland, Oreg.-----	107	72	2	5
Toledo, Ohio-----	121	81	4	3	Sacramento, Calif.-----	70	36	3	5
Youngstown, Ohio-----	66	39	1	4	San Diego, Calif.-----	120	72	6	6
WEST NORTH CENTRAL:	866	515	33	53	San Francisco, Calif.-----	189	107	8	12
Des Moines, Iowa-----	61	39	1	5	San Jose, Calif.-----	38	20	3	-
Duluth, Minn.-----	33	20	-	7	Seattle, Wash.-----	142	90	6	2
Kansas City, Kans.-----	48	20	5	4	Spokane, Wash.-----	56	32	-	4
Kansas City, Mo.-----	133	76	5	4	Tacoma, Wash.-----	41	27	1	2
Lincoln, Nebr.-----	35	22	2	2	Total	12,401	7,002	491	767
Minneapolis, Minn.-----	116	74	2	4	Cumulative Totals				
Omaha, Nebr.-----	85	48	3	5	including reported corrections for previous weeks				
St. Louis, Mo.-----	222	123	8	18	All Causes, All Ages -----	224,695			
St. Paul, Minn.-----	82	61	3	2	All Causes, Age 65 and over-----	128,243			
Wichita, Kans.-----	51	32	4	2	Pneumonia and Influenza, All Ages-----	10,833			
					All Causes, Under 1 Year of Age-----	13,106			

*Estimate - based on average percent of divisional total.



INTERNATIONAL NOTES – QUARANTINE MEASURES

Immunization Information for International Travel
1963-64 edition—Public Health Service Publication No. 384

The following information should be added to the list of Yellow Fever Vaccination Centers in Section 6:

Page 69

City: New Haven, Connecticut
Center: City of New Haven Department of Health
161 Church Street
Tel: 562-0151, ext. 261

Clinic Hours: Thursday, 2:00–4:00 p.m., and by appointment.

Fee: No

Page 70

City: Rockledge, Florida
Center: Brevard County Health Department
1040 South Florida Avenue
Tel: 636-6920

Clinic Hours: Monday, 9:00–11:00 a.m.

Fee: Yes

THE MORBIDITY AND MORTALITY WEEKLY REPORT, WITH A CIRCULATION OF 13,000 IS PUBLISHED BY THE COMMUNICABLE DISEASE CENTER, ATLANTA, GEORGIA 30333.

CHIEF, COMMUNICABLE DISEASE CENTER	JAMES L. GODDARD, M.D.
CHIEF, EPIDEMIOLOGY BRANCH	A. D. LANGMUIR, M.D.
CHIEF, STATISTICS SECTION	R. E. SERFLING, PH.D.
ASST. CHIEF, STATISTICS SECTION	IDA L. SHERMAN, M.S.
CHIEF, SURVEILLANCE SECTION	D. A. HENDERSON, M.D.
ASSISTANT EDITOR, MMWR	PAUL D. STOLLEY, M.D.

IN ADDITION TO THE ESTABLISHED PROCEDURE FOR REPORTING MORBIDITY AND MORTALITY, THE COMMUNICABLE DISEASE CENTER WELCOMES ACCOUNTS OF INTERESTING OUTBREAKS OR CASES, SUCH ACCOUNTS SHOULD BE ADDRESSED TO:


THE EDITOR
MORBIDITY AND MORTALITY WEEKLY REPORT
COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333

NOTE: THESE PROVISIONAL DATA ARE BASED ON WEEKLY TELEGRAMS TO THE CDC BY THE INDIVIDUAL STATE HEALTH DEPARTMENTS. THE REPORTING WEEK CONCLUDES ON SATURDAY; COMPILED DATA ON A NATIONAL BASIS ARE RELEASED ON THE SUCCEEDING FRIDAY.

SYMBOLS:---DATA NOT AVAILABLE
- QUANTITY ZERO

THE CONSTRUCTION OF THE MORTALITY CURVES IS DESCRIBED IN VOL. 14, NO. 1.

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333
Official Business



POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.